




Safer Swallowing Advice

Level 3 (Liquidised)



Name: _____

Date: _____

About this booklet

As you are currently having difficulty swallowing, your speech and language therapist recommends that you change the consistency of your food.

The consistency that we recommend for you is: **Level 3 – Liquidised**

You should follow these recommendations at all times. Depending on the nature of your difficulties, your speech and language therapist may review these recommendations.

What is a Level 3 – Liquidised diet?

Food has been pureed or liquidised or has puree texture. It does not require chewing.

- ✓ It is a thin puree
 - Does not hold its shape on a plate or when scooped.
 - Cannot be eaten with a fork because it slowly drops through the prongs.
 - The prongs of a fork do not make a clear pattern on the surface.
 - It cannot be piped, layered or moulded.
 - Can be poured.
- ✓ It is smooth throughout with no 'bits' (no lumps, fibres, bits of shell or skins, bits of husk, particles of gristle or bone etc). You may need to use a sieve to achieve this.
- ✓ It is moist.
- ✓ Any fluid in or on the food is as thick as the puree itself.
- X There are no loose fluids that have separated off.
- X The texture is not sticky in the mouth.
- X No garnish.

Please note: In hospital this diet is called Level 3 – Liquidised and is a soup only option. If you are speaking to any staff (e.g. doctor or nurse) please refer to the diet as Level 3 – Liquidised.

Preparing a Level 3 – Liquidised diet

Most foods can be pureed or liquidised in a blender using a little extra gravy or sauce. Cut the food up into small pieces before blending. The thickness of the food will depend on how much liquid is added. You may have to sieve the blended food to remove any 'bits'.

Check before serving and eating that:

- No hard pieces, crust or skin have formed during cooking, heating and standing.
- It has not thinned out and any liquid within the food has not separated off.

Foods that puree easily:

- Eggs – dishes such as baked or scrambled eggs liquidise well.
- Cheese – this can be added to white sauce and served with liquidised poultry, fish or vegetables.
- Pasta – soft pasta dishes liquidise well if extra sauce is added. These sauces can be homemade, tinned or from a packet e.g. lasagne, spaghetti bolognese, ravioli.
- Potatoes – these can be liquidised with butter or margarine and milk to give a very soft, smooth consistency.

Foods which do not puree well include nuts, peas, sweetcorn, coconut, and some breakfast cereals.

Examples of suitable foods

Breakfast:	Weetabix soaked in milk and pureed and sieved to a smooth consistency
	Smooth yoghurt
	Pureed fruit

Lunch and Dinner: Smooth soup with no lumps
Pureed potato
(use cream or milk to achieve a thin puree)
Pureed fish in a sauce
Pureed macaroni cheese
Pureed scrambled egg
Pureed cauliflower cheese
Pureed pasta in sauce
Pureed mince and potatoes
Pureed shepherds pie
Pureed casserole
Pureed curry

Desserts: Creamy custard
Smooth yoghurt
Pureed rice pudding
Pureed semolina
Pureed fruit
Pureed fruit trifle

Note: No ice cream or jelly if you need thickened fluids (because these can change to normal thickness in your mouth).

Points to remember for you or whoever is making your food:

- Presentation of this diet is extremely important. It needs to look and smell as good as possible, and it helps if you know what flavour to expect. It doesn't look very attractive if foods are blended together.
- If the food does not look attractive it may affect how much you eat which could in time lead to unwanted weight loss and health issues related to poor nutrition.
- Remove tough skins and large seeds before blending.
- Puree small quantities at a time to avoid getting lumps.

Swallowing strategies

Here is some general advice which you may find useful.

Please note not all of the items will necessarily apply to you.

Please concentrate on the ones which your speech and language therapist has ticked specifically for you.

- ☐ Sit in an upright position.
- ☐ Take your time.
- ☐ Take small mouthfuls.
- ☐ Try to eat in a quiet place, with few distractions.
- ☐ Only heat up small portions of food at a time so that food does not get cold.
- ☐ Smaller, more frequent meals may be less tiring.
- ☐ Keep your chin tucked down towards your chest when swallowing.
- ☐ Swallow several times after each mouthful.
- ☐ Take regular alternate sips of fluid when eating to help clear any residue that may be in your mouth or throat.
- ☐ Clear your throat regularly when eating and drinking, then swallow again.
- ☐ Cough after swallowing.
- ☐ Consult your GP or pharmacist about taking medication in syrup or soluble form. **Do not crush tablets or open up capsules without checking with your pharmacist that it is safe to do this.**

Things to avoid

- Foods that you may find difficult.
- Taking very large mouthfuls.
- Tipping your head back.
- Eating and drinking when you feel short of breath.
- Talking while eating and drinking.
- Straws unless specifically recommended by your speech and language therapist.

☐

Please refer to any additional information sheets your speech and language therapist has given you.

Your speech and language therapist also recommends the following advice specifically for your needs:

☐☐☐

Fluids

You have been advised to drink **normal thin fluids**.

☐

If so, please ignore the section below.

You have been advised to drink _____ **thickened fluids**. (Please refer to the section below for information on how to thicken your fluids.)

☐

Drinks Descriptor and Level	
Level 1 (Slightly Thick)	Leaves a coating on an empty glass and can be easily taken through a straw (if recommended).
Level 2 (Mildly Thick)	Leaves a thin coat on the back of a spoon, can be drunk from a cup and easily taken through a straw (if recommended)
Level 3 (Moderately Thick)	Leaves a thick coat on the back of a spoon, can be drunk from a cup, but too thick to be taken through a straw.
Level 4 (Extremely Thick)	Unable to be drunk through a straw or a cup due to thickness. Needs to be taken from a spoon.

There are several different brands of ‘thickening agent’. Please refer to the manufacturer’s guidelines (usually on the side of the tin) for details of how much thickener needs to be added to your drink. Please check the fluid is the correct consistency before drinking.

Thickener and pre-thickened drinks are available on prescription from your GP.

Further information

Please contact the Speech and Language Therapy department if:

- You or your relatives have any worries or questions about your swallowing problem.
- Your swallow deteriorates.
- You develop new swallowing difficulties.

Your Speech and Language Therapy department phone number is **0141 951 5121**.

All of our publications are available in different languages, larger print, braille (English only), audio tape or another format of your choice.

我們所有的印刷品均有不同語言版本、大字體版本、盲文（僅有英文）、錄音帶版本或你想要的另外形式供選擇。

كافة مطبوعاتنا متاحة بلغات مختلفة و بالأحرف الطباعية الكبيرة و بطريقة بريل الخاصة بالمكفوفين (باللغة الإنكليزية فقط) و على شريط كاسيت سمعي أو بصيغة بديلة حسب خيارك.

Tha gach sgrìobhainn againn rim faotainn ann an diofar chànanan, clò nas motha, Braille (Beurla a-mhàin), teip claidinn no riochd eile a tha sibh airson a thaghadh.

हमारे सब प्रकाशन अनेक भाषाओं, बड़े अक्षरों की छपाई, ब्रेल (केवल अंग्रेज़ी), सुनने वाली कसेट या आपकी पसंदनुसार किसी अन्य फॉरमेट (आरूप) में भी उपलब्ध हैं।

我們所有的印刷品均有不同語言版本、大字体版本、盲文（仅有英文）、录音带版本或你想要的另外形式供选择。

ਸਾਡੇ ਸਾਰੇ ਪਰਚੇ ਅਤੇ ਕਿਤਾਬਚੇ ਵਗ਼ੈਰਾ ਵੱਖ ਵੱਖ ਭਾਸ਼ਾਵਾਂ ਵਿਚ, ਵੱਡੇ ਅੱਖਰਾਂ ਅਤੇ ਬ੍ਰੇਲ (ਸਿਰਫ਼ ਅੰਗਰੇਜ਼ੀ) ਵਿਚ, ਆਡੀਓ ਟੇਪ 'ਤੇ ਜਾਂ ਤੁਹਾਡੀ ਮਰਜ਼ੀ ਅਨੁਸਾਰ ਕਿਸੇ ਹੋਰ ਰੂਪ ਵਿਚ ਵੀ ਮਿਲ ਸਕਦੇ ਹਨ।

ہماری تمام مطبوعات مختلف زبانوں، بڑے حروف کی چھپائی، بریل (صرف انگریزی)، سننے والی کسٹ یا آپ کی پسند کے مطابق کسی دیگر صورت (فارمیٹ) میں بھی دستیاب ہیں۔

☎: 0141 951 5513

Please call the above number if you require this publication in an alternative format



This leaflet was originally devised by SLT and reproduced for the Golden Jubilee National Hospital with kind permission from Greater Glasgow and Clyde.