



Irritable Bowel Syndrome (IBS)

• Important information for all patients experiencing irritable bowel syndrome.

Golden Jubilee National Hospital Agamemnon Street Clydebank, G81 4DY

2: 0141 951 5000

www.nhsgoldenjubilee.co.uk

Reviewed: May 2021 Next review: May 2022

Version 4

About this booklet

The purpose of this booklet is to tell you about Irritable Bowel Syndrome, its causes and treatments.

What is Irritable Bowel Syndrome (IBS)?

Irritable Bowel Syndrome (IBS) is also called spastic colon, nervous colon or irritable colon. IBS is very common, and affects about one in six people (mostly women). It is thought to be caused by abnormal movement of the muscles in the bowel wall.

- In some patients, the muscles work faster than normal. This
 means they push the waste through more quickly. Less water is
 absorbed from the food, which makes your stools soft and watery
 (diarrhoea). You may need to go to the toilet a lot and feel you
 need to go urgently.
- In other patients, the muscles may push the waste along more slowly. This means that waste can stay in your bowels for a long time. If this happens, too much water is absorbed from the waste. Your stools then become hard and going to the toilet is uncomfortable (constipation). You may go to the toilet but feel that you haven't completely finished emptying your bowels.
- In many patients, the muscles may go into spasm. You get spasms
 when your muscles suddenly contract. The contraction is very
 strong and can cause painful cramps. If you have spasms, waste
 or gas from food may get trapped in your bowels (bloating).

What are the treatments for Irritable Bowel Syndrome?

Many people are reassured that their condition is IBS, and not something more serious. Simply understanding IBS may help you to be less anxious about the condition, which may ease the severity of symptoms, which often settle for long periods without any treatment. In some cases, symptoms are mild and do not require treatment. If symptoms are more troublesome or frequent, one or more of the following may help.

Food, drink and lifestyle

- It may help to keep a food and lifestyle diary for two to four weeks
 to monitor symptoms and activities. Note everything that you
 eat and drink, times that you were stressed, and when you took
 any formal exercise. This may identify triggers, such as a food,
 alcohol, or emotional stresses, and may show if exercise helps to
 ease or prevent symptoms.
- Some people with IBS find that one or more foods can trigger symptoms, or make them worse. Food intolerance is more common in people with IBS who have diarrhoea as a main symptom. Some people say that they can control their symptoms by identifying one or more foods that cause symptoms, and then not eating them. The foods that are most commonly reported to cause IBS symptoms in the UK are wheat (in bread and cereals), rye, barley, dairy products, coffee (and other caffeine-rich drinks such as tea and cola), and onions. Some people report an improvement in symptoms when they cut down from drinking a lot of alcohol or stop smoking.
- · Regular exercise may also help to ease symptoms.
- Stress and other emotional factors may trigger symptoms in some people. Cognitive Behavioural Therapy (CBT) can be useful and stress management incorporating relaxation and mindfullness techniques.

Treating constipation

Constipation is sometimes a main symptom of IBS. If so, it often helps to eat foods with plenty of fibre, and to drink plenty of fluids (two litres of per day or more) - to keep the stools moist. Fibre (roughage) is the part of the food which is not absorbed into the body. You can eat plenty of fibre by eating fruit, vegetables, cereals, fruit juice, wholemeal bread, etc. Sometimes a fibre supplement is required; your GP can provide further assistance with this.

Treating diarrhoea

An antidiarrhoea medicine may be useful if diarrhoea is a main symptom. Loperamide is the most commonly used antidiarrhoea medicine for IBS. You can buy this at pharmacies or get it on prescription, which may be more cost effective if you need to take it regularly. The dose of Loperamide needed to control diarrhoea varies considerably. Many people use loperamide 'as required' but some take it regularly. Many people learn to take a dose of Loperamide in advance when they feel diarrhoea is likely to be a problem. For example, before going out to places where they know it may be difficult to find a toilet.

Antispasmodic medicines

These are medicines that relax the muscles in the wall of the gut. Your doctor may prescribe these if you have spasm-type pains. There are several types of antispasmodics, and they work in slightly different ways. Therefore, if one does not work well, it is worth trying a different one. If one is found to help, then you can take it 'as required' when pain symptoms flare-up. Many people take an antispasmodic medicine for a week or so at a time when bouts of pain flare-up, other people take a dose before meals if pains tend to develop after eating. Pains may ease with medication, but may not go away completely.

Other treatments

There may be a role for probiotics and peppermint oil. There are other medications which may benefit, your GP can provide further information.

The FODMAP diet, which is reducing or avoiding certain foods containing hard to digest carbohydrates, can be useful for IBS.

Contact

If you have any problems or questions, please contact the day unit via the switchboard on 0141 951 5000. The day unit operates Monday to Friday 7.30am to 8pm but please only telephone the unit between the hours of 8am and 7pm. Outwith these hours you should contact the Senior Nurse via the switchboard as well.

Further information

You can find out more at:

https://gutscharity.org.uk/ https://www.ibsgroup.org/

Notes

Notes	

All of our publications are available in different languages, larger print, braille (English only), audio tape or another format of your choice.

我們所有的印刷品均有不同語言版本、大字體版本、盲文(僅有英文)、錄音帶版本或你想要的另外形式供選擇。

كافة مطبوعاتبا متاحة بلغات مختلفة و بالأحرف الطباعية الكبيرة و بطريقة بريل الخاصة بالمكفوفين (باللغة الإنكليزية فقط) و على شريط كاسيت سمعى أو بصيغة بديلة حسب خيارك.

Tha gach sgrìobhainn againn rim faotainn ann an diofar chànanan, clò nas motha, Braille (Beurla a-mhàin), teip claistinn no riochd eile a tha sibh airson a thaghadh.

हमारे सब प्रकाशन अनेक भाषाओं, बड़े अक्षरों की छपाई, ब्रेल (केवल अंग्रेज़ी), सुनने वाली कसेट या आपकी पसंदनुसार किसी अन्य फ़ॉरमेट (आस्प) में भी उपलब्ध हैं। 我们所有的印刷品均有不同语言版本、大字体版本、盲文(仅有英文)、录音 带版本或你想要的另外形式供选择。

ਸਾਡੇ ਸਾਰੇ ਪਰਚੇ ਅਤੇ ਕਿਤਾਬਚੇ ਵਗ਼ੈਰਾ ਵੱਖ ਵੱਖ ਭਾਸ਼ਾਵਾਂ ਵਿਚ, ਵੱਡੇ ਅੱਖਰਾਂ ਅਤੇ ਬ੍ਰੇਲ (ਸਿਰਫ਼ ਅੰਗਰੇਜ਼ੀ) ਵਿਚ, ਆੱਡੀਓ ਟੇਪ 'ਤੇ ਜਾਂ ਤੁਹਾਡੀ ਮਰਜ਼ੀ ਅਨੁਸਾਰ ਕਿਸੇ ਹੋਰ ਰੂਪ ਵਿਚ ਵੀ ਮਿਲ ਸਕਦੇ ਹਨ।

ہماری تمام مطبوعات مختلف زبانوں، بڑے حروف کی چھپائی، بریل (صرف انگریزی)، سنے والی کسٹ یا آپ کی پیند کے مطابق کسی دیگر صورت (فارمیٹ) میں بھی دستیاب ہیں۔

2:01419515513

Please call the above number if you require this publication in an alternative format

